

*UPHOLSTERY
MATERIAL*

TEXTILE PRICE GROUP 1

Name	Supplier	Martin- dale	Width	Composition	Fabric/Leather Type, Notes	Fire Resistance Certificate	Environmental Certificate
CHAMP	Textaafoam	100 000	1430 mm	95% polyester, 5% nylon	Chenille Flatweave	BS 5852-1	REACH, Oeko-Tex
DREAM	Textaafoam	100 000	1430 mm	100% recycled polyethylene terephthalate	Flatweave, Sustainable Collection	BS 5852-1	REACH, Oeko-Tex
RATE	Textaafoam	100 000	1430 mm	100% polyester	Flatweave, Easy Maintenance Collection	BS 5852-1	REACH, Oeko-Tex
UNIT	Textaafoam	35 000	1430 mm	85% polyester, 15% cotton	Flatweave	BS 5852	REACH
MODIS	Bellus	100 000	1470 mm	95% polyester, 5% cotton	Flatweave	-	Oeko-Tex
MATUU	Bellus	100 000	1470 mm	100% polyester	Flatweave	-	Oeko-Tex
SHAFF	Bellus	90 000	1440 mm	100% polyester	Flatweave	-	Oeko-Tex
URALIS	Bellus	50 000	1470 mm	50% polyester, 50% akryl	Flatweave, Easy Clean Fabric	-	Oeko-Tex
CHRUSH	Bellus	45 000	1470 mm	96% polyester, 4% akryl	Flatweave	-	Oeko-Tex
LEXUS	Bellus	40 000	1470 mm	100% polyester	Flatweave, Easy Clean Fabric	-	Oeko-Tex
NUEVO	Bellus	30 000	1430 mm	100% polyester	Flatweave	-	Oeko-Tex
LINEO	Bellus	25 000	1480 mm	100% recycled olefin	Flatweave	-	Oeko-Tex

TEXTILE PRICE GROUP 2

Name	Supplier	Martin- dale	Width	Composition	Fabric/Leather Type, Notes	Fire Resistance Certificate	Environmental Certificate
CRUSH	Textaafoam	100 000	1380 mm	100% polyurethane	Artificial leather	BS 5852-1	REACH
MARSHALL	Textaafoam	100 000	1380 mm	97% polyvinyl chloride, 3% polyurethane	Artificial leather	BS 5852-1, EN 1021-2	REACH
SOIL	Textaafoam	100 000	1380 mm	60% recycled polyethylene terephthalate, 40% polyester	Flatweave, Easy Maintenance Collection	BS 5852-1	REACH, Oeko-Tex
CARO	Textaafoam	92 000	1410 mm	72% polyester, 28% polypropylene	Chenille jacquard	BS 5852-1	REACH, Oeko-Tex
ADORE	Textaafoam	88 000	1410 mm	100% polyester	Knitted velvet	BS 5852-1	REACH, Oeko-Tex
ALPINE	Textaafoam	75 000	1430 mm	90% polyester, 5% cotton, 5% polyacrylic	Flatweave	BS 5852-1	REACH, Oeko-Tex
MINE	Textaafoam	45 000	1380 mm	96% polyester, 4% nylon	Chenille flatweave	BS 5852-1	REACH, Oeko-Tex
APOLLO	Nevotex	300 000	1450 mm	100% phthalate free polyvinyl chloride	Phthalate free artificial leather	EN 1021-1&2	REACH, Oeko-Tex
STELLA	Nevotex	180 500	1450 mm	100% polyester	Flatweave	BS 5852-1	Oeko-Tex
LIDO / TREND	Nevotex	115 000	1480 mm	100% polyester	Chenille	BS 5852-1, EN 1021-1	Oeko-Tex
CINEMA 2.0	Nevotex	62 000	1400 mm	90% polyester, 10% nylon	Chenille	BS 5852-1	Oeko-Tex
LUXURY	Nevotex	40 000	1470 mm	100% polyester	Chenille	BS 5852-1, EN 1021-1	Oeko-Tex

TEXTILE PRICE GROUP 3

Name	Supplier	Martin- dale	Width	Composition	Fabric/Leather Type, Notes	Fire Resistance Certificate	Environmental Certificate
FORWARD	Textaafoam	100 000	1480 mm	50% wool, 30% linen, 20% polyamide	Flatweave	BS 5852-1, EN 1021-2	REACH
UNIQUE	Textaafoam	70 000	1380 mm	67% polyester, 33% cotton	Woven velvet	BS 5852-1	REACH, Oeko-Tex
FACET	Textaafoam	40 000	1450 mm	75% wool, 25% polyamide	Flatweave	BS 5852-1, EN 1021-2	REACH
NYX	Nevotex	300 000	1450 mm	100% phthalate free polyvinyl chloride	Phthalate free artificial leather, cold tolerance -20C, IMO Marine	EN 1021-1&2	Oeko-Tex
MEGAN	Nevotex	170 000	1420 mm	100% polyester	Velvet, IMO Marine	BS 5852-1, EN 1021-1	Oeko-Tex
MEGAN +	Nevotex	170 000	1420 mm	100% polyester + FR interliner	Velvet, IMO Marine	BS 5852-1, EN 1021-1&2	REACH, Oeko-Tex
MEGAN MELANGE +	Nevotex	100 000	1420 mm	100% polyester + FR interliner	Velvet, IMO Marine	BS 5852-1, EN 1021-1&2	REACH, Oeko-Tex
STORY	Nevotex	100 000	1400 mm	100% polyester	Chenille	BS 5852-1	Oeko-Tex
POD CS	Nevotex	65 000	1400 mm	100% Trevira CS	Flatweave, IMO Marine	BS 5852, EN 1021-1&2	Oeko-Tex, EU Ecolabel
SLOPE	Nevotex	40 000	1700 mm	100% polyester	Flatweave, for screen walls and larger sound absorbers	EN 1021-1	Oeko-Tex
VALENCIA	Spradling	300 000	1370 mm	100% polyester	Artificial leather, cold tolerance -23C	EN 1021-1&2	REACH

TEXTILE PRICE GROUP 4

Name	Supplier	Martin- dale	Width	Composition	Fabric/Leather Type, Notes	Fire Resistance Certificate	Environmental Certificate
TUNDRA	Textaafoam	75 000	1410 mm	100% polyester Trevira CS	Flatweave	BS 5852-1, EN 1021-2	REACH
MAR- GRETHE	Nevotex	250 000	1400 mm	70% recycled wool, 25% polyamide, 5% other fibers	Flatweave	EN 1021-1&2	-
WOOLY	Nevotex	150 000	1500 mm	70% recycled wool, 25% polyamide, 5% other fibers	Flatweave	BS 5852-1, EN 1021-1&2	Global Recycled Standard
WOOLY PLUS	Nevotex	150 000	1700 mm	70% recycled wool, 25% polyamide, 5% other fibers	Flatweave	BS 5852-1, EN 1021-1&2	Global Recycled Standard
FJORD	Nevotex	102 400	1400 mm	100% water-based polyurethane	Phthalate free artificial leather	BS 5852-0&1, EN 1021-1&2	Oeko-Tex
SELECT	Nevotex	100 000	1400 mm	79% phthalate free polyvinyl chloride, 21% cotton	Phthalate free artificial leather	BS 5852, EN 1021-1&2	REACH
MAYA CS	Nevotex	100 000	1400 mm	100% Trevira CS	Flatweave, IMO Marine	BS 5852, EN 1021-1&2	Oeko-Tex, EU Ecolabel
BLUES II CS	Nevotex	80 000	1400 mm	100% Trevira CS	Flatweave, IMO Marine	BS 5852, EN 1021-1&2	Oeko-Tex, EU Ecolabel
FUNK CS	Nevotex	70 000	1400 mm	100% Trevira CS	Flatweave	BS 5852, EN 1021-1&2	Oeko-Tex, EU Ecolabel
HIGHLAND VINTAGE	Nevotex	51 200	1400 mm	65% polyurethane, 24% polyester, 11% cotton	Artificial leather	EN 1021-1&2	-
SILVERTEX	Spradling	300 000	1370 mm	100% polyester	Phthalate free artificial leather, cold tolerance -29C, IMO Marine	EN 1021-1&2	REACH, Carbon Neutral Certified, EcoSense