

Slottsfjord

Slottsfjord is a durable wool similar to furniture fabric. Scandinavian and robust expression, useful in all environments.

Slottsfjord is an Easy Clean woolly furniture fabric. Play with bright colors for modern areas or burnt tones for the more sophisticated interior.


FibreGuard gives the textile stain-repellent properties in the yarn structure. FibreGuard's textiles are OEKO-TEX® certified and do not release harmful chemicals.

Suitable for:


Accessories, Boat/Caravan, Contract upholstery, Curtains and Drapery, Upholstery, Bedcovering, Light Upholstery




Fabric Slottsford 12
Pinecone
1030706




Fabric Slottsford 9
Griffin
1030709



Fabric Slottsford 13
Rock
1030705



Fabric Slottsford 14
Flax
1030704




Fabric Slottsford 15
Chinchilla
1030703



Fabric Slottsford 7
Limestone
1030711



Fabric Slottsford 17
Angora
1030702




Fabric Slottsford 16
Snow
1030701



Fabric Slottsford 21
Gold
1030719



Fabric Slottsford 22
Lemon
1030720



Fabric Slottsford 23
Terra
1030721



Fabric Slottsford 24
Sunset
1030722




Fabric Slottsford 25
Strawberry
1030725



Fabric Slottsford 26
Cardinal
1030724




Fabric Slottsford 20
Artisan
1030718




Fabric Slottsford 19
Pistachio
1030717




Fabric Slottsford 5
Spa
1030713



Fabric Slottsford 1
Spruce
1030716




Fabric Slottsford 3
Teal
1030714



Fabric Slottsford 2
Emerald
1030715



Fabric Slottsford 32
Cobalt
1030728



Fabric Slottsford 28
Blush
1030726




Fabric Slottsford 27
Peony
1030723



Fabric Slottsford 31
Lavander
1030727



Fabric Slottsford 8
Silver
1030710




Fabric Slottsford 6
Pigeon
1030712



Fabric Slottsford 10
Shadow
1030708



Fabric Slottsford 11
Charcoal
1030707



Fabric Slottsford 34
Onyx
1030730

Width:	145 cm ±2 cm
Content:	100% Polyester
Weight (g/m ²):	397
Roll length (m):	40
Type:	Piece Dyed
OEKO-TEX® Certificate No:	SE 25-352
Fire class:	BS 5852 Source 0, Cal TB 117, FMVSS 302, NFPA 260
Fire test with fire retardant foam:	EN 1021-1 & 2
Martindale:	100000 (ISO 12947-2)
Change of colour:	4
Pilling:	4 (ISO 12945-2)
Colour fastness to rubbing - dry:	4-5 (ISO 105-X12)
Colour fastness to rubbing - wet:	4-5 (ISO 105-X12)

Color Fastness To Light:	4-5 (ISO 105-B02)
Seam slippage Warp:	3,0 mm (ISO 13936-2)
Seam slippage Weft:	2,0 mm (ISO 13936-2)
Tensile strength Warp:	2000 N/5cm (ISO 13934-1)
Tensile strength Weft:	780 N/5cm (ISO 13934-1)
Tear strength warp:	76 N (ISO 13937-3)
Tear Strength weft:	140 N (ISO 13937-3)
Dimensional change Warp:	- 2,3 %
Dimensional change Weft:	- 1,2 %
Colour fastness to water wash:	ISO 105-C06
Change of colour:	4-5
Colour fastness to dry cleaning:	ISO 105-D01
Change of colour :	4-5
Colour fastness to water:	5 (ISO 105-E01)

Always vacuum a textile regularly or wipe gently with a slightly damp cloth. Most stains can be removed with water alone. If necessary, a small amount of white regular soap can be used. Remember that immediate stain removal ensures the best results.

Collections carrying the OEKO-TEX® certification have been carefully tested and are guaranteed to be free from the PFAS substances regulated by OEKO-TEX®.

