



Attraction





Attraction

This fine woven upholstery fabric is in the Textafoam Comfort Collection, this collection consists only of soft and elegant upholstery fabrics.

Attraction has been developed to offer you the ultimate answer to fine structures, elegant look and tonne-sur-tonne appearance. This high-quality upholstery textile will certainly enhance your sofa, chair, or relax-chair.

A matte and natural appearance, woven with different polyester yarns, therefore easy in usage and cleaning/ maintenance. Attraction is suitable for all types of upholstery, especially loose-fitting upholstery.

Due to the construction of this matte and authentic textile your sofa, chair and bed will get a boost in look & feel. A light coating has been added to provide extra stability, without compromising the fabric's comfortable handfeel.

Our quality team recommends a minimum seam allowance of minimum 1 cm, and another advice is to overlock all seams for more stability, especially with tight upholstered furniture.

For loose fitted upholstery models, please know that this fine textile is machine-washable at 30 degrees Celsius*.

When Attraction has been upholstered on fitted or buttoned furniture, please note the following:

- If a stain appears, first remove it carefully using a spoon or another blunt object.
- Then, take a cotton towel, dampen it with lukewarm water, wring it out, and place it directly over the stain.
- Leave the towel on the stain for 24 to 48 hours to allow it to absorb the stain.
- Important: Never rub the fabric or stain, as this may remove the dye and cause white or light spots, especially on darker colours.

Attraction is piece dyed, resulting in a wide range of new, natural, trendy, and modern colours that blend effortlessly into any interior.

Due to the chenille yarns, shading, seat depression or sitting mirror will appear. These product related properties can be minimized by brushing against the pile with a (clean) brush, or with a vacuum cleaner (low power and with an upholstery nozzle).

- Always be careful with sharp or rough objects such as watches, buckles or Velcro, as they may damage the fabric.
- Please consult the washing instructions of your furniture or covers before cleaning.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.


***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside n/a
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



ashgrey 40




brass 170




brick 128



caramel 16




clay 84




desert 109




ecru 102




grey 65




ivory 101



mocca 13




sand 03




shell 196


Please note: colours may vary according to your screen settings.



shitake 124



steel 149



thyme 206

Please note: colours may vary according to your screen settings.

Attraction - Article passport


Fine woven chenille fabric made out of polyester fibers for perfect ease of use.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	100%PES
Composition backside	n/a
Coating	sbr
Statistic code	55162390
Dyeing method	piece dyed
Available colours	15
Packaging	bubble wrap


Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 12.000	min. 16.000	B
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
dark colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A	
	Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL	passed				

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 25							
Material weight in grams per linear meter	± 775							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.984	944	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	213,7	189,3	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	2,7	3,1	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-1,2	-0,4	n/a	n/a	A/A
 - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.								



Textaafoam
Expect what's next in furniture fabrics

Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl