



Kong





Kong

This elegant upholstery fabric Kong is in the Textafoam Natura Collection. A collection that stands for luxurious and naturel upholstery fabrics. Kong has a warm, natural look with a refined texture. Its fine weave and matte finish make it soft yet durable, perfect for both sleek and rounded furniture designs.

Kong has been developed to offer you the ultimate combination of the current trend, a soft touch in combination with a highly durable appearance.

With its matte finish and fine structure, it works beautifully on round and oval shapes, ideal for Scandinavian-style furniture. The combination of polyester, nylon and cotton creates a solid and modern textile.

This high-quality upholstery textile is ideal for all types of furniture, like fitted, buttoned and loose fitting. It will lift your sofa, bed, chair or relax-chair. Piece dyed, resulting in a wide, contemporary colourline that fits perfectly into any interior. Due to the construction and different types of yarn, this quality has this a light, elegant bi-colour aspect.

Kong has been woven on an airjet-loom, guaranteeing consistency, excellent texture, and superior quality.

Finished with a light 'kiss'-coating.

Our quality team recommends a minimum seam allowance of minimum 1 cm, and another advice is to overlock all seams for more stability, especially with tight upholstered furniture. For loose fitted upholstery models. Please know that this fine textile is machine-washable at 30 degrees Celsius*.

- Always be careful with sharp or rough objects such as watches, buckles or Velcro, as they may damage the fabric.
- When a loop does occur, it can be easily pushed back into the fabric with a blunt object.
- Please consult the washing instructions of your furniture or covers before cleaning.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 92%PES 5%CO 3%NY
/ backside n/a
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



brown 15



cacao 83




cappuccino 11



cognac 28



cream 02




darkblue 48



forest 162



graphite 66




grey 65



ivory 101



lightgrey 60



linen 110


Please note: colours may vary according to your screen settings.



liver 10




mustard 06




onyx 169



shitake 124



steel 149



stone 181



wood 108

Please note: colours may vary according to your screen settings.

Kong - Article passport

Kong is a piece dyed, matt looking, fine structured article.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	92%PES 5%CO 3%NY
Composition backside	n/a
Coating	transparent
Statistic code	58013300
Dyeing method	piece dyed
Available colours	19
Packaging	transparent plastic

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 12.000	min. 16.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	dark colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
Ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				

Processing specifications

Minimum workable width in centimeters	± 140							
Roll length in meters	± 35							
Material weight in grams per linear meter	± 672							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	2.658	1.895	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	318,5	156,8	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	1,7	1,4	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-0,4	-2,0	n/a	n/a	A/A

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

